


DOME Ø14 · SMALL

HAKUMEI | OCT 26


OVERVIEW	Designer Year	Hakumei 2026
	Dimensions	Ø13.8 × H12.1 cm
	Material	Shade: translucent PLA. Hat and tube: matte PLA.
	Origin	Designed and printed in Malaysia
	Assembly	Bowl, hat and tube: the lampholder clamps the bowl, the tube stands on it and the hat rests on the tube
	Colours	Shade: any of 5 translucent colours. Other parts: any of 9 matte colours, each part its own
ILLUMINATION	Light source	LED, E27 G45 golf-ball bulb, included
	Light output	approx. 500 lm
	Colour temperature	2700 K
	CRI	approx. 80+
	Life hours	approx. 15,000
POWER	Input	220–240 V AC; 110–120 V for Canada and Taiwan
	Max. usage	approx. 6 W
	Connection	Wired to a ceiling point by a qualified electrician
DIMMING	Not dimmable as supplied.	
SUSPENSION	Cord	1, 2 or 3 m twisted fabric (your choice), adjustable drop
	Ceiling rose	Replaces the existing fitting
	Lampholder	E27
CARE	Indoor use only. Dust with a dry cloth or a soft brush; keep acetone, solvents and harsh cleaners away from the printed parts. LED bulbs only, never incandescent or halogen: they run far hotter than a printed lamp is made for. Keep out of hot direct sun.	
MATERIALITY	Printed to order, one fine layer at a time, so faint layer lines are part of the surface. Tint can vary slightly between spools: for lamps that must match, order them together.	



DOME Ø17 · MEDIUM

HAKUMEI | OCT 26

OVERVIEW	Designer Year	Hakumei 2026
	Dimensions	Ø17.2 × H18.1 cm
	Material	Shade: translucent PLA. Hat and tube: matte PLA.
	Origin	Designed and printed in Malaysia
	Assembly	Bowl, hat and tube: the lampholder clamps the bowl, the tube stands on it and the hat rests on the tube
	Colours	Shade: any of 5 translucent colours. Other parts: any of 9 matte colours, each part its own
ILLUMINATION	Light source	LED, E27 A60 bulb, included
	Light output	approx. 600 lm
	Colour temperature	2700 K
	CRI	approx. 80+
	Life hours	approx. 15,000
POWER	Input	220–240 V AC; 110–120 V for Canada and Taiwan
	Max. usage	approx. 6 W
	Connection	Wired to a ceiling point by a qualified electrician
DIMMING	Not dimmable as supplied.	
SUSPENSION	Cord	1, 2 or 3 m twisted fabric (your choice), adjustable drop
	Ceiling rose	Replaces the existing fitting
	Lampholder	E27
CARE	Indoor use only. Dust with a dry cloth or a soft brush; keep acetone, solvents and harsh cleaners away from the printed parts. LED bulbs only, never incandescent or halogen: they run far hotter than a printed lamp is made for. Keep out of hot direct sun.	
MATERIALITY	Printed to order, one fine layer at a time, so faint layer lines are part of the surface. Tint can vary slightly between spools: for lamps that must match, order them together.	



DOME Ø21 · LARGE

HAKUMEI | OCT 26

OVERVIEW	Designer Year	Hakumei 2026
	Dimensions	Ø20.6 × H25.4 cm
	Material	Shade: translucent PLA. Hat and tube: matte PLA.
	Origin	Designed and printed in Malaysia
	Assembly	Bowl, hat and tube: the lampholder clamps the bowl, the tube stands on it and the hat rests on the tube
	Colours	Shade: any of 5 translucent colours. Other parts: any of 9 matte colours, each part its own
ILLUMINATION	Light source	LED, E27 A60 bulb, included
	Light output	approx. 600 lm
	Colour temperature	2700 K
	CRI	approx. 80+
	Life hours	approx. 15,000
POWER	Input	220–240 V AC; 110–120 V for Canada and Taiwan
	Max. usage	approx. 6 W
	Connection	Wired to a ceiling point by a qualified electrician
DIMMING	Not dimmable as supplied.	
SUSPENSION	Cord	1, 2 or 3 m twisted fabric (your choice), adjustable drop
	Ceiling rose	Replaces the existing fitting
	Lampholder	E27
CARE	Indoor use only. Dust with a dry cloth or a soft brush; keep acetone, solvents and harsh cleaners away from the printed parts. LED bulbs only, never incandescent or halogen: they run far hotter than a printed lamp is made for. Keep out of hot direct sun.	
MATERIALITY	Printed to order, one fine layer at a time, so faint layer lines are part of the surface. Tint can vary slightly between spools: for lamps that must match, order them together.	

